













## JAPANESE PATENT OFFICE

### PATENT ABSTRACTS OF JAPAN

(11) Publication number:

20000339:

(43) Date of publication of application: 02.02.2

(51) Int. Cl

B65D 5/72

B65D 25/52

(21) Application number:

10204606

(22) Date of filing:

21.07.1998

(54) WRAP FILM STORAGE BODY

(57) Abstract:

PROBLEM TO BE SOLVED: To manufacture a wrap film storage body in which various wrap films, particularly wrap films of high stretchability, can be cut easily and safety is secured at the time of handling.

SOLUTION: In the constitution of a wrap film storage body 1 for cutting by a cutter 7 provided on a cover 5 covering an opening 4, the end face of a cutting blade of the cutter 7 is not sharp, and the cutter 7 is provided slidably along the cutting direction of a wrap film 2 on the cover 5, and one side of a storage case 3 as a back-up member 10 and the drawn-out wrap film 2


(71) Applicant: KAO CORP

(72) Inventor: SAITO TADASHI

ATSUGI TAKESHI

for cutting while the dull blade is pressed to a timember 10 and slid thereon.

COPYRIGHT: (C)2000,JPO



## 

## NUMBER EDISM

(Select CR.)

003000/000401

Log Dirk Mork Files Saved Searches

My Account

Search; Quick/Number Boolean Advanced Derwent

Help

# The Delphion Integrated View

Tools: Add to Work File: Create new Work File Go to: Derwent Buy Now: | PDF | More choices... View: INPADOC | Jump to: Top

Email this to a friend

Add

JP2000033937A2: WRAP FILM STORAGE BODY ₹Title:

Wrapping film storage body for e.g. domestic use, business use [Derwent Record] Derwent Title:

JP Japan ▼ Country:

A2 Document Laid open to Public inspection i ≪ Kind:

SAITO TADASHI PInventor:

**ATSUGI TAKESHI**;

Assignee:

KAO CORP
News, Profiles, Stocks and More about this company

2000-02-02 / 1998-07-21 Published / Filed:


JP1998000204606 Application

B65D 5/72; B65D 25/52; Number:

B65D83/08D1D; B65H35/00B;  1998-07-21 JP1998000204606 Priority Number: PROBLEM TO BE SOLVED: To manufacture a wrap film storage stretchability, can be cut easily and safety is secured at the time of body in which various wrap films, particularly wrap films of high Abstract:

handling.

cutter 7 is provided slidably along the cutting direction of a wrap film member 10 and the drawn-out wrap film 2 for cutting while the dull the end face of a cutting blade of the cutter 7 is not sharp, and the SOLUTION: In the constitution of a wrap film storage body 1 for cutting by a cutter 7 provided on a cover 5 covering an opening 4, 2 on the cover 5, and one side of a storage case 3 as a back-up blade is pressed to a back-up member 10 and slid thereon.



COPYRIGHT: (C)2000, JPO

None Family:

DERABS G2000-189882 DERABS G2000-189882 POther Abstract

Info:



Powered by Verity



Nominate this for the Gallery...

THOMISON \*

Copyright @ 1997-2005 The Thomson Corporation Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help